The most productive cutting tables

For packaging, wide format signage & display production





The Kongsberg C Series




KONGSBERG C

Highest performance, delivered by the industry's most solid platform

Kongsberg C Series is built for the highest performance, redefining the possibilites of digital finishing.

The Kongsberg C offers speed (100 m/min-66 in/sec) and acceleration (up to 1.7 G) with quick and precise tool movements, making high quality digital production possible, even under the tightest deadlines.

The Kongsberg C cutting table delivers an iconic performance that is made possible by state of the art, rock solid engineering. The cutting table utilizes aerospace technology, combining an aluminum composite tabletop, a rack & pinion drive system and dynamic table mapping. These features all ensure that the table provides the greatest cutting accuracy and consistency.



Introducing: Kongsberg C Edge

Exceptional quality at a remarkable price. Step up your productivity with its high speed (75 m/min) and acceleration (1G), and astound your customers with impressive, high quality results and fast turnarounds.

As your company grows, the Kongsberg C Edge evolves with you and can be easily upgraded in both speed and acceleration.






Kongsberg C24 / Kongsbergc C Edge 24



Kongsberg C44 / Kongsbergc C Edge 44




Kongsberg C60 / Kongsberg C Edge 60



Kongsberg C64 / Kongsberg C Edge 64



Kongsberg C66



Redefining throughput with high performance tooling

The Kongsberg C performance range works with a wide variety of optional tool units. Multiple tool combinations are available during production, depending on the materials you want to process. The tooling system includes a material thickness probe and an optional camera for registering printed and un-printed material. The Kongsberg C performance tooling increases throughput and quality.

Fast Tool Adapter

The Fast Tool Adapter makes sure that you can unlock extra production power with your Kongsberg C table. No need for tool changes, just let the Kongsberg run through the job with two Fast Tools.

- Faster throughput with clever tool combinations
- Less manual tool changing during production
- Improve output quality, especially on soft signage materials like vinyls



1. Heavy Duty Tool Position

The Heavy Duty Tool can handle:

- Large-size crease wheels for recycled liners and heavy duty boards
- V-notch inserts for triple wall corrugated, honeycomb boards and solid board
- 50 kg down force for the best creasing and perforating results
- Straight-blade knife insert for long, straight cuts in heavy-duty heards
- Crease blade insert for polypropylene boards
- High-Power Milling Unit
- Foam Cutting Unit
- The optional Dual Heavy Duty Unit combines two independent wheels in one heavy-duty unit. This unit makes it possible to cut, crease and perforate a single job without the need to change tools.



- Drill Tool Insert
- Ballpoint Pen Insert
- FiberTip Tool



High-frequency VibraCut Tool, VibraCut Tool and CorruSpeed Tool

Reciprocating and static tools for corrugated board, ranging from micro flute to triple wall, paper core boards, foamboards and thin foam panels

Hi-Force Knife Tool, Psaligraphy Tool and RM Knife Tool

Static knife tools for compact materials; paper, folding carton, solid board and synthetic sheets such as PVC, polypropylene, polycarbonate, etc.

PressCut Tool

Tool for adhesive vinyl, with programmable blade pressure

RotaCut Tool

Motor-driven, rotating knife tool for textile materials

Braille Tool

Tool for making braille signs, works together with milling tool



Rigid signage



Display



Corrugated packaging



Folding carton



Plastic corrugated



Increased throughput by smart automation

MultiZone production

MultiZone production allows you to load two sheets at the same time and maximize the production capacity on your Kongsberg cutting table without expensive automation add-ons.

The MultiZone Operation Mode enables the operator to prepare one zone while the table processes the other, with automatic change-over when one zone is completed, vastly increasing overall productivity and throughput.

An optional zone control panel can be mounted on the table's side cover, providing a time-saving way of acknowledging that the zone is ready for production and also manual vacuum hold-down control.



Barcode production

Ensures consistent production, final quality and is especially recommended when several unique jobs are lined up. The camera will read the barcode automatically and apply the correct tooling and production settings.

- OR
- Data Matrix
- Code39
- Multiple stacks support
- MultiZone support



Sheet automation

The Kongsberg Automate Board Feeder and Stacker is an easy to use pallet-to-pallet material handling solution. With a stack height at 915 mm/36 in and quick automatic load cycles it's the optimal solution for production in all typical packaging and display materials. Combined with he Underside camera, you are assured of full registration on every sheet leaving no room for error.

We understand that quality is paramount throughout your production. The Kongsberg board feeder eliminates the chance of damage encountered with manual handling, and ensures that the print moves to the cutting table with precision and care.





Robotic automation brings a new world of opportunities

Robotic material handling brings cutting edge industrial automation to the shop floor. The robotic arm loads and unloads material automatically with perfect alignment to support pallet-to-pallet production and runs unattended.

The grippers are able to work with a wide range of materials and the cutting uptime is maximized to its full potential.


Cells can be fully configured to your needs. Future expansion is always an option without the need for heavy re-investment when your business demands more.



The Motorized Roll Feeder for soft signage

The roll feeder ensures consistent feeding of material onto the table's conveyor belt, even if the roll is imperfectly rewound after printing.

With capacity for large, heavy rolls and handling mechanisms for challenging substrates, the motorized roll feeder is vital to achieve uninterrupted production with high quality output. Combined with our Take Up Unit true roll-to-roll production can be fully supported.



Increased throughput by simplification

Central to any Kongsberg development is the user experience. Simplifying complex operations is key to driving productivity. Kongsberg Operate solutions make the production process very straightforward. Ergonomic design provides easy access to the cutting table from all sides, without gallows or other elements to block the operator's movements. But there is more, a series of innovative solutions makes simplification a fact in every step of the workflow.

i-cut Production Console (iPC): a simplified user experience

The iPC comes standard on all Kongsberg tables and provides graphical icon based communication and a personalized (separate login) operator interface in many languages.

iPC includes technology for smart production methods, planning, reporting and everything else needed to ensure consistent, on time production.

Quick Box

Quick Box allows operators to make any box in 3 steps. Get a quick start to a new packaging design or simply make perfectly fit shipping boxes on demand. There are no CAD design skills required. Quick Box is a fully integrated option within *i*-cut Production Console.

ArtiosCAD Display Store

Never say no to a request! The ArtiosCAD Store makes POP display design very simple. The store offers endless, creative design templates that are ready to produce on a Kongsberg cutting table. And the library is constantly growing.

Visit <u>esko.com/displays</u> for more information.









Device Manager

Device Manager offers complete visibility: it shows all ongoing jobs and lets operators distribute them to optimize the use of your Kongsberg table(s) truly connecting the shop floor to the rest of your business.

Device Manager helps reduce lead times, ensure On Time Delivery and eliminates material waste; it allows managing short production runs intelligently and optimizes equipment output. It is an option for iPC.

Shared Resources

Simplifying is also replacing complex manual tasks with automation. The 'Shared Resources' functionality in the *i*-cut Production Console analyzes incoming files and automatically selects the right tool, the correct table settings and the cutting sequence.

The result? A fast and consistent production, no matter who operates the table. You no longer need to wait for the most experienced operator to produce the complex jobs and ensures consistent results. With Shared Resources, you can deliver the short turnaround time your customers demand.



Keeping control in short run production

1. 3D Display Design

- POP design made easy with the ArtiosCAD Display Store
- Reduce POP display design time by 90%
- Expand your portfolio, offer profitable 3D applications

2. Approval

- Speed up customer approval cycles
- Use 3D files to communicate with customers
- Switch to virtual mock-ups and save up to 90%

3. Prepress

- Make files print-ready with dedicated sign software
- Optimal nesting, adding bleed, tiling
- Get it right the first time, no try-anderror, avoid expensive rejects

4. Estimation

- Get a status view of your digital finishing tables from anywhere
- Automatic estimation of your jobs
- Intelligent workload balancing

5. Finishing

- Get the most out your digital finishing equipment
- Smart technologies reduce table setup times
- Boost the throughput with integrated soft- and hardware solutions

6. Shipping

- Produce perfect shipping boxes on demand with QuickBox
- Easy interface: just enter the box dimensions



Esko is your one stop shop for short run production from design to truck. We define the optimal approach to automate your business through integrated software and hardware solutions tailored to your needs.



Technical specifications

	C24	C44	C60	C64	C66	
Work area	1680 x 3200 66 x 126	2210 x 3200 87 x 126	3210 x 1600 126.37 x 63	3210 x 3200 126.37 x 126	3210 x 4800 126.37 x 189	mm in.
Work area, MZ production, standard tabletop	1680 x 1450 66 x 57	2210 x 1450 87 x 57	n/a	3210 x 1600 126 x 63	3210 x 2210 126 x 87	mm in.
Work area, MZ production, MZ tabletop (optional)	n/a	2210 x 1450 87 x 57	n/a	3210 x 1600 126 x 63	n/a	mm in.
Max. material width, w/o conveyor feed	1740 x 3700 68 x 146	2270 x 3700 89 x 146	3330 x 2125 131 x 83½	3330 x 3730 131 x 147	3330 x 5330 131 x 210	mm in.
Max. material width, w/ conveyor feed	1680 66	2210 87	3210 126½	3210 126½	n/a	mm in.
Overall dimensions incl. workstation	3600 x 3900 142 x 154	4100 x 3900 161 x 154	5100 x 2320 201 x 91½	5100 x 3920 201 x 154½	5100 x 5520 201 x 217	mm in.
Overall dimensions excl. workstation	2760 x 3900 109 x 154	3260 x 3900 128 x 154	4260 x 2320 168 x 91½	4260 x 3920 168 x 154½	4260 x 5520 168 x 217	mm in.
Weight	600 1325	800 1760	800 1760	1300 2870	1750 3960	kg Ibs
Max. speed		Kongsberg C Edge: 75 m/min - 49 in/sec Kongsberg C: 100 m/min - 66 in/sec				
Max. acceleration Kongsberg C Edge		1 G 10 m/s²				
Max. acceleration Kongsberg C	1.72 G 1.65 G 1.57 G 17.2 m/s ² 16.5 m/s ² 15.7 m/s ²					
Vacuum sections	8	8	4	8	8	
Traverse clearance (excl. cutting underlay)		70 2.75				
Maximum cutting / milling thickness		50 2				
Application kits available	Pack. Prod. Sign Prod.	Pack. Prod. Sign Prod.	Pack. Prod. Sign Prod.	Pack. Prod. Sign Prod.	Pack. Prod. Robotic Autom.	

Belgium Kortrijksesteenweg 1095, 9051 Gent | Tel. +32 9 216 92 11 | info.eur@esko.com

USA 8535 Gander Creek Drive, Miamisburg, OH 45342 | Tel. +1 937 454 1721 | info.usa@esko.com

Brasil Rua Professor Aprígio Gonzaga, 78 - 10º andar - São Judas - 04303-000 - São Paulo - SP | Tel. +55 11 3550 1311 | info.la@esko.com

Singapore 8 Changi Business Park Ave 1, UE BizHub East #07-51, South Tower, 486018 | Tel. +65 6420 0399 | info.asp@esko.com

Japan Telecom Center Building, West Wing 6F, 2-5-10, Aomi, Koto-ku, Tokyo, 135-0064 | Tel. +81 (3) 5579 6247

China Floor 6, Building 1, 518 Fuquan North Road, Changning District, Shanghai, P.R.C, Zip Code: 200335 | Tel. +86 21 3279 6555 | info.china@esko.com

